



M12 Panel Mount Connectors Male Rear Mounting PCB IP67 IEC 61076-2-101 PIN12

Our Product Introduction

for more products please visit us on connector-industrial.com

Basic Information

- Place of Origin: Guangdong, China
- Brand Name: KRONZ
- Certification: CE
- Model Number: F1212M-0.5R/M16
- Minimum Order Quantity: 50 pieces
- Price: Negotiable
- Packaging Details: Polybag packing
- Delivery Time: 5-8 working days
- Payment Terms: T/T, Western Union, MoneyGram
- Supply Ability: 100000 pieces per month



Product Specification

- Type: M12 Connector
- Contacts: 0.5m Pre-wired
- Standard: IEC 61076-2-101
- Contact Nut Material: Brass, Nickle-plated
- Contact Surface Material: Brass, Gold-plated
- Contact Carrier Material: PA, Black
- Degree Of Protection: IP67
- Ambient Temperature: -25~+85
- Highlight: **M12 Panel Mount Connectors Male,
PIN12 Panel Mount Connectors,
Panel Mount Connectors IEC 61076-2-101**




Product Description

M12 Panel Mount Connectors Male Rear mounting PCB IP67 IEC 61076-2-101 PIN12

Product Description

M12 panel mounted connector male head performs excellently in the field of electronic connections. It will be available for easy installation on various devices in the future. The PCB version ensures stable circuit connection performance. The specification is M16 x 1.5, with precise dimensions and outstanding compatibility. This male head has excellent durability and anti-interference ability, and can maintain stable connections even in complex working environments. Whether it is industrial automation equipment or communication electronic equipment, it can play an excellent role in connectivity, bringing efficient and reliable connectivity solutions to your projects and driving your business forward smoothly.



Technical Data

Standard	IEC 61076-2-101
Contact nut material	Brass, nickel-plated
Contact surface material	Brass, gold-plated
Contact carrier material	PA, black
Housing material	Brass, nickel-plated
Seal material	FPM/FKM
Insulation resistance	$\geq 100\text{M}\Omega$
Contact resistance	$\leq 5\text{m}\Omega$
Pollution degree	3
Ambient temperature	-25~+85
Mating cycles	>100
Degree of protection	IP67

Pin assignment	Mounting type	Coding	Rated current	Voltage	Cable outlet	Contacts termination	Part No.
	Rear mounting	A	1..5A	30V	Straight	0.5m Pre-wired	F1212M-0.5R/M16

KRONZ Kronz (guangzhou) Electronics Co., Ltd.



+8618924160375



sales02@kronz.cn



connector-industrial.com

6th Floor, B602 Building, No.10, Rong Jing 2nd Road, Yu Shan Guo Ji, Yong Ning Street, Zeng Cheng District, Guangzhou, P.R.China