



## RJ45 Connector for Stable Data Transmission Gold Plated Cat5e RJ45 Crystal Head

Our Product Introduction

for more products please visit us on [connector-industrial.com](http://connector-industrial.com)

### Basic Information

- Place of Origin: Guangdong, China
- Brand Name: KRONZ
- Certification: CE
- Model Number: RJ45S-5/E10K
- Minimum Order Quantity: 80
- Price: Negotiable
- Packaging Details: Polybag packing
- Delivery Time: 5-8 working days
- Payment Terms: T/T, Western Union, MoneyGram
- Supply Ability: 100000 pieces per month

KRONZ



### Product Specification

- Rated Current: 1.5A
- Wire Gauge: 24AWG, 26AWG
- Insulation Resistance:  $\geq 100\text{M}\Omega$
- Cable Outlet: Straight
- Contact Surface Material: Brass, gold-plated
- Length: Customized
- Ambient Temperature:  $-25\sim+85$
- Pin: 4, 8
- Highlight: Crystal Head Cat5e RJ45 Connector,  
Gold Plated RJ45 Connector,  
Stable Data Transmission RJ45 Connector

KRONZ




## Product Description

### RJ45 Connector for Stable Data Transmission Gold Plated Cat5e RJ45 Crystal Head

#### Product Description


The RJ45 Connector Modular Plug is constructed with a high-quality brass contact surface material that is gold-plated to ensure maximum conductivity and corrosion resistance. This ensures that your data signals are transmitted accurately and efficiently, providing you with a stable and uninterrupted network connection.

The contact carrier material of the RJ45 Connector Modular Plug is made of PA, black, which is a durable and strong material that provides excellent support for the brass contacts. The contact carrier material is also resistant to wear and tear, so you can be sure that your RJ45 Connector will last for a long time, even with frequent use.



#### Technical Data

Thread type	RJ45
Contact nut material	Brass, nickle-plated
Contact surface material	Brass, gold-plated
Contact carrier material	PA, black
Housing material	TPU, black
Seal material	FPM/FKM
Insulation resistance	$\geq 100\text{M}\Omega$
Contact resistance	$\leq 5\text{m}\Omega$
Pollution degree	3
Ambient temperature	-25~+85
Mating cycles	>100
Degree of protection	IP20

Pin assignment	Wire color	PIN	Rated current	Voltage	Wire gauge	Cable outlet	Length	Model No.
	1 = YE 2 = OR 3 = WH 6 = BU	4PIN	1.5A	48V	2×2×0.25, shielded (2×2×24AWG) Blueish green, PVC, OD=6.5	Straight	5M	RJ45S-5/E10K









### Applications

This RJ45 Connector Cat5 is compatible with 24AWG wire gauge and has 4 pins. The contact surface material is brass, gold-plated, ensuring the quality of the connection. The RJ45 Connector has a minimum order quantity of 80 pieces, and the price is negotiable.

The packaging details of the RJ45 Connector Cat5 Waterproof are polybag packing, and the delivery time is 5-8 working days.

The KRONZ RJ45 is suitable for various applications such as computer networking, home and office network cabling, and telecommunication systems. The RJ45 Connector Cat5 can be used in harsh environments where water and dust are present. The RJ45 Connector is easy to install, and the material of the grip body is TPU, black, providing a comfortable grip and a firm hold. The RJ45 Connector has a mating cycle of more than 100 times, which makes it durable and long-lasting.

### Packing and Shipping

The RJ45 Connector product will be packaged in a sturdy cardboard box to ensure safe delivery. The carton will be appropriately labeled with the product name, quantity, and handling instructions.

The product will be shipped via a reputable courier service to ensure timely and secure delivery. Shipping fees may vary based on the destination and quantity of the product ordered. Customers will receive a tracking number to monitor their delivery status. Delivery times may vary depending on the shipping method and destination.

**KRONZ** Kronz (guangzhou) Electronics Co., Ltd.



+8618924160375



sales02@kronz.cn



connector-industrial.com

6th Floor, B602 Building, No.10, Rong Jing 2nd Road, Yu Shan Guo Ji, Yong Ning Street, Zeng Cheng District, Guangzhou, P.R.China

