



RJ45 Connector With $\geq 100\text{M}\Omega$ Insulation Resistance 48V Pollution Degree

3

Our Product Introduction

for more products please visit us on connector-industrial.com

Basic Information

- Place of Origin: Guangdong, China
- Brand Name: KRONZ
- Certification: CE
- Model Number: RJ45S-3/E60K
- Minimum Order Quantity: 80
- Price: Negotiable
- Packaging Details: Polybag packing
- Delivery Time: 5-8 working days
- Payment Terms: T/T, Western Union, MoneyGram
- Supply Ability: 100000 pieces per month

KRONZ



Product Specification

- Material Of Grip Body: TPU, black
- Ambient Temperature: $-25\sim+85$
- Pollution Degree: 3
- Rated Current: 1.5A
- Contact Resistance: $\leq 5\text{m}\Omega$
- Insulation Resistance: $\geq 100\text{M}\Omega$
- Mating Cycles: >100
- Cable Outlet: Straight
- Highlight: 3 Pollution Degree RJ45 Connector,
Insulation Resistance RJ45 Connector,
48V RJ45 Connector

KRONZ



Product Description


RJ45 Connector with $\geq 100\text{M}\Omega$ Insulation Resistance 48V Pollution Degree 3

Product Description

Rated for a current of 1.5A, the RJ45 Connector can handle power-intensive applications with ease. It supports wire gauges of 26AWG, making it a versatile choice for a variety of Ethernet RJ45 Connector applications.


With a voltage rating of 48V, this connector is designed to meet the needs of modern Ethernet networks. Whether you're connecting two devices or a whole network, the RJ45 Connector is up to the task.

Overall, the RJ45 Connector is a reliable and durable choice for Ethernet RJ45 Connector applications. With a customized length, FPM/FKM seal material, and support for a wide range of wire gauges and voltage levels, it's a versatile choice for any application.



Technical Data

Thread type	RJ45
Contact nut material	Brass, nickle-plated
Contact surface material	Brass, gold-plated
Contact carrier material	PA, black
Housing material	TPU, black
Seal material	FPM/FKM
Insulation resistance	$\geq 100\text{M}\Omega$
Contact resistance	$\leq 5\text{m}\Omega$
Pollution degree	3
Ambient temperature	-25~+85
Mating cycles	>100
Degree of protection	IP20

Pin assignment	Wire color	PIN	Rated current	Voltage	Wire gauge	Cable outlet	Length	Model No.
 12345678	1 = WH/OR 2 = OR 3 = WH/GN 4 = BU 5 = WH/BU 6 = GN 7 = WH/BN 8 = BN	8	1.5A	48V	4x2x0.16, shielded (4x2x26AWG) Blueish green, PVC, OD=6.6	Straight	3M	RJ45S-3/E60K


Multi-layer dual shielding for interference resistance

Pure copper wire core

Aluminum foil shielding

Braided mesh shielding to reduce external signal interference

More stable data transmission





Support and Services

The RJ45 Connector product technical support and services include:

- Assistance with product installation and setup
- Troubleshooting and diagnosis of issues
- Repair and replacement services for defective products
- Product training and education for customers
- Technical documentation and resources for the product
- Ongoing customer support and communication

FAQ

Q: Where is this product manufactured?

A: This product is manufactured in Guangdong, China.

Q: Does this product have any certifications?

A: Yes, this product is CE certified.

Q: What is the minimum order quantity for this product?

A: The minimum order quantity for this product is 80.

Q: Is the price of this product negotiable?

A: Yes, we will offer different price according the quantity.

Q: How is this product packaged?

A: This product is packaged in polybag packing, export carton.

Q: What is the delivery time for this product?

A: The delivery time for this product is 5-8 working days for MOQ 80pcs, if more quantity, please contact with seller.

Q: What payment terms are accepted for this product?

A: The payment terms accepted for this product are T/T, Western Union, and MoneyGram.

Q: What is the supply ability of this product?

A: The supply ability of this product is 100000 pieces per month.

KRONZ Kronz (guangzhou) Electronics Co., Ltd.

+8618924160375

sales02@kronz.cn

connector-industrial.com

6th Floor, B602 Building, No.10, Rong Jing 2nd Road, Yu Shan Guo Ji, Yong Ning Street, Zeng Cheng District, Guangzhou, P.R.China