



RJ45 Connector Green Flexible TPU Grip RJ45 Connector For Industrial Automation

Our Product Introduction


Basic Information

- Place of Origin: Guangdong, China
- Brand Name: KRONZ
- Certification: CE
- Model Number: RJ45S-10/E60K
- Minimum Order Quantity: 80
- Price: Negotiable
- Packaging Details: Polybag packing
- Delivery Time: 5-8 working days
- Payment Terms: T/T, Western Union, MoneyGram
- Supply Ability: 100000 pieces per month



Product Specification

- Material Of Grip Body: TPU, black
- Insulation Resistance: $\geq 100M\Omega$
- Thread Type: RJ45
- Voltage: 48V
- Mating Cycles: > 100
- Rated Current: 1.5A
- Seal Material: FPM/FKM
- Contact Resistance: $\leq 5m\Omega$
- Highlight: Flexible TPU Grip RJ45 Connector, Green RJ45 Connector, Industrial Automation RJ45 Connector



Product Description


RJ45 Connector Green Flexible TPU Grip RJ45 Connector for Industrial Automation

Product Description

The RJ45 Connector has a voltage rating of 48V, making it suitable for a wide range of network applications. It has an insulation resistance of $\geq 100\text{M}\Omega$, which ensures that it provides a stable and reliable connection even under harsh conditions. Additionally, the seal material used in the connector is FPM/FKM, which provides excellent resistance to chemicals and other corrosive substances.


The RJ45 Connector is designed to provide long-lasting performance, with a mating cycle of more than 100. This means that it can be connected and disconnected multiple times without affecting its performance. The connector is easy to install, making it an excellent choice for network technicians and DIY enthusiasts alike.

Overall, the RJ45 Connector is an excellent choice for anyone looking for a reliable and high-quality connector for their Ethernet or other network applications. With its degree of protection of IP20, voltage rating of 48V, insulation resistance of $\geq 100\text{M}\Omega$, seal material of FPM/FKM, and mating cycles of more than 100, it provides a reliable and stable connection that is built to last.



Technical Data

Thread type	RJ45
Contact nut material	Brass, nickle-plated
Contact surface material	Brass, gold-plated
Contact carrier material	PA, black
Housing material	TPU, black
Seal material	FPM/FKM
Insulation resistance	$\geq 100\text{M}\Omega$
Contact resistance	$\leq 5\text{m}\Omega$
Pollution degree	3
Ambient temperature	-25~+85
Mating cycles	>100
Degree of protection	IP20

Pin assignment	Wire color	PIN	Rated current	Voltage	Wire gauge	Cable outlet	Length	Model No.
 12345678	1 = WH/OR 2 = OR 3 = WH/GN 4 = BU 5 = WH/BU 6 = GN 7 = WH/BN 8 = BN	8	1.5A	48V	4×2×0.16, shielded (4×2×26AWG) Blueish green, PVC, OD=6.6	Straight	10M	RJ45S-10/E60K



Flexible Wire Body Durable and Crack-resistant

Outer layer made of enviromentally friendly PVC material


Wear-resistant

Oil-resistant

Tear-resistant

Bend-resistant

OD=6.5MM

A green flexible wire body is shown bending into a U-shape. The wire has a smooth, glossy finish and is set against a light blue background. The text 'OD=6.5MM' is positioned to the right of the wire's bend.

Customization

Our RJ45 IP67 connectors are packaged in polybags for safe shipping and have a delivery time of 5-8 working days. We accept payment through T/T, Western Union, and MoneyGram, and our supply ability is 100000 pieces per month.

Our RJ45 connectors have straight cable outlets and a contact resistance of $\leq 5\text{m}\Omega$. The seal material is FPM/FKM and the contact carrier material is PA, black. We offer customized length options to fit your specific requirements.





Support and Services

The RJ45 Connector product technical support and services include:

- Assistance with product installation and setup
- Troubleshooting and diagnosis of technical issues
- Product training and education
- Warranty and repair services
- Product customization and design support
- Technical documentation and resources

FAQ

Q: Where is this product manufactured?

A: This product is manufactured in Guangdong, China.

Q: Does this product have any certifications?

A: Yes, this product is CE certified.

Q: What is the minimum order quantity for this product?

A: The minimum order quantity for this product is 80.

Q: Is the price of this product negotiable?

A: Yes, we will offer different price according the quantity.

Q: How is this product packaged?

A: This product is packaged in polybag packing, export carton.

Q: What is the delivery time for this product?

A: The delivery time for this product is 5-8 working days for MOQ 80pcs, if more quantity, please contact with seller.

Q: What payment terms are accepted for this product?

A: The payment terms accepted for this product are T/T, Western Union, and MoneyGram.

Q: What is the supply ability of this product?

A: The supply ability of this product is 100000 pieces per month.



+8618924160375



sales02@kronz.cn



connector-industrial.com

6th Floor, B602 Building, No.10, Rong Jing 2nd Road, Yu Shan Guo Ji, Yong Ning Street, Zeng Cheng District,
Guangzhou, P.R.China